

Technical Data Sheet

Date of compilation: 18/05/2021

POT-CEM GENERAL PURPOSE SAND & CEMENT

General purpose 4:1 Sand & Cement mix for repairs and patching

DESCRIPTION

Arc Pot Cem General purpose 4:1 Sand & Cement mix is a blend of dried sand and cement ideal for concrete repairs, small infill applications on floors, bedding of paving and patios, pointing & wall repairs and filling around pipes and other gaps.

Characteristics:

- Easy to use, just add water
- Sets in 2-3 hours
- Small infill applications
- Bedding of paving & patios
- Pointing & wall repairs



PRODUCT INFORMATION

Packaging	5kg & 10kg tubs
Appearance/Colour	Powder/Grey
Shelf life	12 months in original unopened container
Storage conditions	Cool dry conditions between 5° and 30°
Setting time	2-3 hours
Fully Cured	24 – 48 hours (depending on the temperature)

SURFACE PREPARATION

Suitable for use in temperatures between 5° and 30°. Ensure the area is clean and free of grease, dust & other contaminants and then thoroughly wet the surface.

APPLICATION METHOD

Add approximately 3 parts powder to 1 part clean cold water and mix to achieve the required consistency. Adjustments to the amount of water can be made at the initial mixing to achieve a workable mix to suit the end application. Do not add further water once the mix has begun to stiffen. Apply the mixture using a clean trowel or knife.

CLEANING TOOLS

Clean tools with warm water before Arc General Purpose Sand & Cement mix dries.

Technical Data Sheet

Date of compilation: 18/05/2021

POT-CEM GENERAL PURPOSE SAND & CEMENT

General purpose 4:1 Sand & Cement mix for repairs and patching

HEALTH AND SAFETY

Contains Portland Cement

May Serious eye damage, harmful if swallowed, may cause skin irritation, may cause an allergic skin reaction, may cause respiratory irritation.

Please see MSDS for full safety precautions.

NOTE

The information contained on this technical data sheet is given voluntarily and in good faith. It is to the best of our knowledge true and accurate; however, it may contain information which is inappropriate under certain conditions of use. The company cannot accept responsibility for any loss or damage due to inappropriate use or the possibility of variations of working conditions and of workmanship outside our control.

The user must ensure the product's suitability for the application intended and if in doubt should seek a written technical specification for the product's application from Arc Building Products.

Our guarantee is limited to ensure the quality of our products according to our quality standards.