

# Arc Wallpaper Stripper

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 27/09/2023 Version: 1.0



### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : Arc Wallpaper Stripper  
Product code : TEWS001

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Liquid to aid the removal of wallpaper

##### 1.2.2. Uses advised against

Restrictions on use : Cosmetics, personal care products

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Arc Building ProductsÁ  
IDA Business & Technology Park  
Ballynattin  
Arklow  
Co. WicklowÁ  
Ireland  
+353 (0)402 32370Á  
[sales@arcbuildingproducts.ie](mailto:sales@arcbuildingproducts.ie)

#### 1.4. Emergency telephone number

Emergency number : +353 (0)402 32370  
(Office hours only)  
NHS 111 - General Public (24 Hour service)

Country	Organisation/Company	Address	Emergency number
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)

Also, in the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.  
P102 - Keep out of reach of children.  
P103 - Read carefully and follow all instructions.  
EUH-statements : EUH210: Safety data sheet available on request.

# Arc Wallpaper Stripper

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



### Extra labelling Phrases

Contains: Less than 5% anionic surfactants, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1).  
Contains biocidal products/preservatives to control microbial deterioration: C(M)IT/MIT (3:1).

### 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alcohols. C12-14(even numbered), ethoxylated <2.5 EO, sulphates, sodium salts.	CAS-No.: 68891-38-3 EC-No.: 500-234-8 EU REACH Registration No.: 01-2119488639-16-XXXX	$\geq 1 - < 5$	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412

### Specific concentration limits:

Name	Product identifier	Specific concentration limits
Alcohols. C12-14(even numbered), ethoxylated <2.5 EO, sulphates, sodium salts.	CAS-No.: 68891-38-3 EC-No.: 500-234-8 EU REACH Registration No.: 01-2119488639-16-XXXX	( $5 \leq C < 10$ ) Eye Irrit. 2, H319 ( $10 \leq C \leq 100$ ) Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Call a poison center or a doctor if you feel unwell. Non hazardous mixture.
First-aid measures after inhalation	: Inhalation unlikely. Get medical advice/attention. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. If breathing is difficult, trained personnel should give oxygen.
First-aid measures after skin contact	: Take off contaminated clothing. Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Remove any contact lenses and open eyelids wide apart. Rinse opened eye for several minutes under running water. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. If the person is fully conscious, make him/her drink plenty of water. Never give an unconscious person anything to drink. Do not induce vomiting. Get medical advice/attention if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: None under normal use.
Symptoms/effects after skin contact	: Prolonged or repeated contact may dry skin and cause irritation. Rednesses.
Symptoms/effects after eye contact	: Causes eyes to water. Eye irritation. Redness, pain.

# Arc Wallpaper Stripper

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



Symptoms/effects after ingestion : May cause stomach cramps and vomiting.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : The product is non-combustible. Use extinguishing agent suitable for surrounding fire.  
Unsuitable extinguishing media : None known.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Precautionary measures fire : Avoid breathing (dust, vapor, mist, gas).  
Firefighting instructions : Cool laterally with water containers exposed to flames, even after the fire is extinguished.  
Protection during firefighting : Wear fire/flame resistant/retardant clothing. In confined space use self-contained breathing apparatus. Full face piece respirator.  
Other information : Keep run-off water out of sewers and water sources. Containers close to fire should be removed or cooled with water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment : See section 8 of the SDS for more information on personal protective equipment.  
Measures in case of dust release : Not applicable.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".  
Emergency procedures : For further information refer to section 8: "Exposure controls/personal protection". More detailed information: See section 11. For disposal of residues refer to section 13 : Disposal considerations " ".

### 6.2. Environmental precautions

None of the components are expected to be toxic to aquatic life. Do not discharge into drains or the environment. Notify authorities if product enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Turn leaking containers leak-side up to prevent the escape of liquid.  
Methods for cleaning up : Clean spills immediately. Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Wash contaminated area with large amounts of water.  
Other information : See Section 13 for disposal information.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

# Arc Wallpaper Stripper

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Read label before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid contact with skin and eyes. Possibly avoid handling product with acids or oxidizing agents. Avoid spills and keep away from drains.
- Hygiene measures : Do not eat, drink or smoke when using this product. Take off immediately all contaminated clothing and wash it before reuse. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : No special storage required, however ideally avoid High temperature. Avoid direct sunlight. Protect from Freezing. Keep only in original container. Store away from acids & oxidising agents.
- Storage temperature : 5 – 30 °C

#### 7.3. Specific end use(s)

Wallpaper Stripper is a concentrated product formulated to aid the fast removal of wallpaper. Typically dilute in warm water and apply the solution liberally with a cloth, sponge or brush to the wallpaper. Always follow on pack instructions when using this product. Apply "common sense" measures when handling this product. Keep out of reach of children. Keep containers closed when not in use. Where possible avoid prolonged contact with the skin. People with sensitive skin should wear rubber protective gloves.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

No additional information available

##### 8.1.2. Recommended monitoring procedures

No additional information available

##### 8.1.3. Air contaminants formed

No additional information available

##### 8.1.4. DNEL and PNEC

Alcohols. C12-14(even numbered), ethoxylated <2.5 EO, sulphates, sodium salts. (68891-38-3)	
<b>DNEL/DMEL (Workers)</b>	
Long-term - systemic effects, dermal	2750 mg/kg bodyweight/day
Long-term - local effects, dermal	132 µg/cm <sup>2</sup>
Long-term - systemic effects, inhalation	175 mg/m <sup>3</sup>
<b>DNEL/DMEL (General population)</b>	
Long-term - systemic effects, oral	15 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	52 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	1650 mg/kg bodyweight/day
Long-term - local effects, dermal	79 µg/cm <sup>2</sup>
<b>PNEC (Water)</b>	
PNEC aqua (freshwater)	0.24 mg/l
PNEC aqua (marine water)	0.024 mg/l
PNEC aqua (intermittent, freshwater)	0.071 mg/l

# Arc Wallpaper Stripper

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Alcohols. C12-14(even numbered), ethoxylated <2.5 EO, sulphates, sodium salts. (68891-38-3)

#### PNEC (Sediment)

PNEC sediment (freshwater)	0.9168 mg/kg dwt
PNEC sediment (marine water)	0.0917 mg/kg dwt

#### PNEC (Soil)

PNEC soil	7.5 mg/kg dwt
-----------	---------------

#### PNEC (STP)

PNEC sewage treatment plant	10 g/l
-----------------------------	--------

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Appropriate engineering controls:

General ventilation.

#### 8.2.2. Personal protection equipment

##### Personal protective equipment:

Do not attempt to take action without suitable protective equipment. Appropriate engineering controls.

##### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Chemical goggles or safety glasses

#### Eye protection

Type	Field of application	Characteristics	Standard
Use splash goggles when eye contact due to splashing is possible	Droplet	With side shields	EN 166

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Not required for normal conditions of use

##### Hand protection:

If repeated and/or prolonged skin exposure to the substance is likely, then wear suitable gloves tested to EN374 and provide employee skin care programmes. Gloves

# Arc Wallpaper Stripper

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Other skin protection

#### Materials for protective clothing:

Not required for normal conditions of use

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

No respiratory protection needed under normal use conditions

#### 8.2.2.4. Thermal hazards

#### Thermal hazard protection:

Not applicable.

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Keep container closed when not in use. Do not allow into drains or water courses.

#### Other information:

Always wash hands after handling the product.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Orange.
Appearance	: Coloured liquid.
Odour	: Detergent liquids. Odour threshold Not available.
Melting point/ Freezing Point	: Not available.
Boiling point	: 100 °C
Flammability	: Not applicable
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not applicable. / Water Based
Auto-ignition temperature	: Not applicable.
Decomposition temperature	: Not available.
pH	: 7 – 8
pH solution concentration	: 100 %
Viscosity, kinematic	: Not available
Viscosity, dynamic	: 34 – 39 Seconds (B2 FLOW CUP)
Solubility	: soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Relative density	: 0.955 – 1.055 @ 15°C
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not applicable
Explosive properties	: Not considered explosive based on chemical structure and oxygen balance considerations.
Oxidising properties	: Not considered oxidising based on chemical structure considerations.
Evaporation Rate	: Not Available

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : Not relevant.

# Arc Wallpaper Stripper

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

#### 10.2. Chemical stability

Stable under normal conditions of use.

#### 10.3. Possibility of hazardous reactions

Stable under normal conditions of use.

#### 10.4. Conditions to avoid

High temperature. Direct sunlight. Freezing.

#### 10.5. Incompatible materials

Acids. Oxidizing agent.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition generates toxic vapours. Combustion produces toxic gases.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Based on available data, the classification criteria are not met.  
Acute toxicity (dermal) : Based on available data, the classification criteria are not met.  
Acute toxicity (inhalation) : Based on available data, the classification criteria are not met.

#### Alcohols. C12-14(even numbered), ethoxylated <2.5 EO, sulphates, sodium salts. (68891-38-3)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	≥ 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:

Skin corrosion/irritation : Based on available data, the classification criteria are not met.  
pH: 7 – 8

#### Alcohols. C12-14(even numbered), ethoxylated <2.5 EO, sulphates, sodium salts. (68891-38-3)

Causes skin irritation (based on severity from mean scores and reversibility), Animal: Rabbit, Guideline: OECD Guideline 404

Serious eye damage/irritation : Based on available data, the classification criteria are not met.  
pH: 7 – 8

#### Alcohols. C12-14(even numbered), ethoxylated <2.5 EO, sulphates, sodium salts. (68891-38-3)

Causes serious eye damage. Conclusion based on data with Alcohols. C12-14(even numbered), ethoxylated <2.5 EO, sulphates, sodium salts (CAS No. 68891-38-3, EC No. 500-234-8) and considering all available data on eye irritation in the Alkyl Ether Sulfate (AES) category in a Weight-of-Evidence approach.

Respiratory or skin sensitisation : Based on available data, the classification criteria are not met.  
Germ cell mutagenicity : Based on available data, the classification criteria are not met.  
Carcinogenicity : Based on available data, the classification criteria are not met.  
Reproductive toxicity : Based on available data, the classification criteria are not met.  
STOT-single exposure : Based on available data, the classification criteria are not met.  
STOT-repeated exposure : Based on available data, the classification criteria are not met.

# Arc Wallpaper Stripper

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



### Alcohols. C12-14(even numbered), ethoxylated <2.5 EO, sulphates, sodium salts. (68891-38-3)

LOAEL (oral, rat, 90 days)	25 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:
NOAEL (oral, rat, 90 days)	> 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:

Aspiration hazard : Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### 11.2.1 Endocrine Disrupting Properties

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### 11.2.2 Other Information

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Based on available data, the classification criteria are not met.

Hazardous to the aquatic environment, long-term (chronic) : Based on available data, the classification criteria are not met.

Not rapidly degradable

### Alcohols. C12-14(even numbered), ethoxylated <2.5 EO, sulphates, sodium salts. (68891-38-3)

LC50 96h - Fish	7.1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 48h - Daphnia magna	7.4 mg/l Test organisms (species): Daphnia magna, Guideline: OECD Guideline 402
EC50 72h - Algae	27.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC 24h - Daphnia magna	0.27 mg/l Test organisms (species): Daphnia magna
NOEC 28h fish	0.1 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)

### 12.2. Persistence and degradability

No additional information available on Mixture

The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in The Detergents Regulations (as amended) i.e:

### Alcohols. C12-14(even numbered), ethoxylated <2.5 EO, sulphates, sodium salts. (68891-38-3)

OECD 301D	82.5% degradation (O2 consumption)
OECD 301D	≥ 77% degradation (O2 consumption) within 28 d
EU Method C.4-A (Determination of the "Ready" Biodegradability - Dissolved Organic Carbon (DOC) Die-Away Test)	100% degradation within 28 d
Conclusion	Substance is readily biodegradable

### 12.3. Bioaccumulative potential

No additional information available on mixture



# Arc Wallpaper Stripper

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



### Alcohols. C12-14(even numbered), ethoxylated <2.5 EO, sulphates, sodium salts. (68891-38-3)

Alkyl ether sulfates have a limited potential to bioaccumulate. The substances are expected to be rapidly biotransformed and eliminated.

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

### 12.6. Endocrine disrupting properties

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### 12.7. Other adverse effects

No other adverse effects are known as of yet for this mixture or any substances contained in this mixture

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

This product is not classified as hazardous waste as it is supplied.

Waste generation should be avoided or minimised where possible. When handling waste, the safety precautions applying to handling of the product should be considered. Label the containers containing waste and remove from the area as soon as possible. Label the containers containing waste contaminated material and remove from the area as soon as possible.

Product disposal to sewer should be avoided, if possible, and only be carried out after treatment, and under relevant rules, e.g. Consent to Discharge. Where wastes undergo disposal, external recovery or treatment, it must comply with the requirements of environmental protection, waste disposal legislation and any local authority requirements. If wastes undergo incineration, they must be suitable for it at an approved facility.

Used packaging waste should be reused or recycled, if uncontaminated. Contaminated packaging should be cleaned on site, if appropriate facilities exist, including any relevant rules or permits, or offsite by a specialist provider. Contaminated packaging which cannot be safely cleaned must be treated in the same way as the product, and should only be disposed of as a last resort.

List of waste code is 20 01 30 - detergents other than those mentioned in 20 01 29. These codes have been assigned based on the actual composition of the product as supplied. Seek advice from a hazardous/non-hazardous waste specialist for waste classification.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

# Arc Wallpaper Stripper

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



ADR	IMDG	IATA	ADN	RID
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

##### VOC Directive (2004/42)

VOC content : Not relevant.

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

##### Detergent Regulation ((EC) No 648/2004)

Product is under the scope of this regulation.

# Arc Wallpaper Stripper

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



### 15.2. Chemical safety assessment

No Chemical Safety Assessment has taken place for this product.

### SECTION 16: Other information

#### Indication of changes:

Due to change of classification database the revision numbering has been reset. You should therefore look at the revision date rather than the revision number

to ensure you have the most up to date version.

#### Full text of H- and EUH-statements:

Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye irritation, Category 2
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
EUH210	Safety data sheet available on request.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.