

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

# **ARC POT-CEM SAND & CEMENT**

Page 1/6

	Revi	Revision ision date	2015-01-2
SECTION 1: Identification of the subs	tance/mixture and of the company/undertaking		
1.1. Product identifier			
Product name	Arc Pot-Cem Sand & Cement		
Other means of identification	SCEM006		
1.2. Relevant identified uses of the substa	ance or mixture and uses advised against		
Description	Sand & Cement mix		
1.3. Details of the supplier of the safety da	ata sheet		
Company	Arc Building Products		
Address	IDA Business & Technology Park Ballynattin Arklow Co. Wicklow Ireland		
Web	www.arcbuildingproducts.ie		
Telephone	+353 (0)402 32370		
Fax	+353 (0)402 24168		
Email	sales@arcbuildingproducts.ie		
Email address of the competent person	sales@arcbuildingproducts.ie		
1.4. Emergency telephone number			
Emergency telephone number	+353 (0)402 32370		
	Office hours only		
SECTION 2: Hazards identification			
2.1. Classification of the substance or mix	ture		
2.1.1. Classification -	Xi; R37/38-41-43		
67/548/EEC	Symbols: Xi: Irritant.		
Main hazards	Irritating to respiratory system and skin. Risk of serious damage to eyes. May cause sensitisation by skin contact.		
2.1.2. Classification - EC 1272/2008	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Dam. 1: H318; STOT SE 3: H335;		
2.2. Label elements			
Hazard pictograms			
Signal Word	Danger		
Hazard Statement	Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Dam. 1: H318 - Causes serious eye damage.		

#### Page 2/6

0

# **ARC POT-CEM SAND & CEMENT**

Revision

Revision date 2015-01-22

						Revision date	2015-0
2.2. Label elements							
	STOT SE 3: H	335 - May cause r	espiratory irritation	on.			
Precautionary Statement:	P261 - Avoid b	reathing dust/fum	e/gas/mist/vapou	rs/spray.			
Prevention	P264 - Wash t	horoughly after ha	andling.				
	P271 - Use onl	y outdoors or in a	well-ventilated a	rea.			
	P280 - Wear pr	rotective gloves/p	rotective clothing	eye protection/face protection			
Precautionary Statement:	P261 - Avoid b	reathing dust/fum	e/gas/mist/vapou	rs/spray.			
Response	P302+P352 - II	F ON SKIN: Wash	n with plenty of so	ap and water.			
		F INHALED: Rem	ove victim to fres	h air and keep at rest in a pos	ition comfortable	for	
	breathing.		Rinse cautiously	with water for several minute	s Remove conta	ct	
		ent and easy to do			3. Nomove conta		
		skin irritation occ					
	P333+P313 - If	f skin irritation or r	ash occurs: Get i	medical advice/attention.			
Precautionary Statement:	P403+P233 - S	Store in a well-ven	tilated place. Kee	ep container tightly closed.			
Storage							
Precautionary Statement:	P501 - Dispose	e of contents/conta	ainer to sECTION	13: Disposal considerations			
Disposal							
2.3. Other hazards							
Other hazards	Not applicable.						
Further information	-						
	Not applicable.						
SECTION 3: Composition/information	n on ingredients						
3.1. Substances							
7/548/EEC / 1999/45/EC							
Chemical Name	Index No.	CAS No.	EC No.	REACH Registration	Conc. (%w/w)	Classification	
Portland cement clinker (Portland cement total inhalable dust)		65997-15-1	266-043-4		20 - 30%	Xi; R37/38-41-43	
C 1272/2008							
Chemical Name	Index No.	CAS No.	EC No.	REACH Registration	Conc.	Classification	
				Number	(%w/w)		
Portland cement clinker (Portland		65997-15-1	266-043-4		20 - 30%	Skin Irrit. 2: H315; Skin	
cement total inhalable dust)						Sens. 1: H317; Eye Dam. H318; STOT SE 3: H335;	1:
SECTION 4: First aid measures							
1.1. Description of first aid measures							
nhalation	Move the expo	sed person to free	sh air.				
Eye contact	Irritating to eye	s. Rinse immedia	tely with plenty of	water for 15 minutes holding	the eyelids open.		
Skin contact	Irritating to skin	n. Wash off immed	liately with plenty	of soap and water. Remove of	contaminated		
	clothing.						
ngestion	Rinse mouth th	oroughly. DO NO	T INDUCE VOM	TING.			
1.2. Most important symptoms and effect	ts, both acute and d	lelayed					
nhalation	May cause irrit	ation to mucous n	embranes				
	-		liembranes.				
Eye contact	-	Irritating to eyes.					
	May cause irrit						
4.3. Indication of any immediate medical	attention and speci	iai treatment need	Ied				
Inhalation	Seek medical a	attention if irritation	n or symptoms pe	ersist.			
Eye contact	Seek medical a	attention if irritation	n or symptoms pe	prejet			
Lyo contact			n or symptoms pe				

Seek medical attention if irritation or symptoms persist.

Skin contact

Revision

0

### **ARC POT-CEM SAND & CEMENT**

2		Revision date	2015-01-22
4.3. Indication of any immediate medical at	tention and special treatment needed		
Ingestion	Seek medical attention if irritation or symptoms persist.		
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
	Product itself is non-combustible. Only the packaging materials can catch fire. The extinguishing media normally used are sufficient.		
5.2. Special hazards arising from the subst			
	No Significant Hazard.		
5.3. Advice for firefighters			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
	Wear suitable respiratory equipment when necessary.		
SECTION 6: Assidental release manu			
6.1. Personal precautions, protective equip			
	Avoid formation of dust. Avoid contact with skin and eyes. Use appropriate personal protective		
	equipment.		
6.2. Environmental precautions			
	Do not allow product to enter drains.		
6.3. Methods and material for containment	and cleaning up		
	Sweep up. Transfer to suitable, labelled containers for disposal.		
6.4. Reference to other sections			
	Relevant information in other sections have to be considered. This applies in particular for		
1	information given on personal protective equipment (section 8) and on disposal (section 13).		
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best		
	Manual Handling considerations when handling, carrying and dispensing. Avoid formation of dust. Wear suitable protective equipment. The cement contained in this product produces an alkaline		
	reaction when in contact with water. This may cause irritation to the skin and mucous membranes.		
7.2. Conditions for safe storage, including	any incompatibilities		
	Keep out of the reach of children. Keep container tightly closed and dry.		
7.3. Specific end use(s)			
	No data available.		5. 22
SECTION 8: Exposure controls/persor	al protection		
8.1. Control parameters			
8.1.1. Exposure Limit Values			
Portland cement clinker	WEL 8-hr limit ppm: - WEL 8-hr limit m	<b>g/m3</b> : 4	
(Portland cement respirable dust)			
,	WEL 15 min limit ppm: - WEL 15 min limit m	g/m3: -	
Portland cement clinker	WEL 8-hr limit ppm: - WEL 8-hr limit m	<b>g/m3</b> : 10	
(Portland cement total inhalable dust)			
	WEL 15 min limit ppm: - WEL 15 min limit m	g/m3: -	
8.2. Exposure controls			~
8.2.1. Appropriate engineering	Ensure adequate ventilation of the working area.		

controls

I

Print date	2015-01-22
------------	------------

0

#### **ARC POT-CEM SAND & CEMENT**

Revision

Revision date 2015-01-22

8.2. Exposure controls		
8.2.2. Individual protection	Appropriate respiratory protection. Wear suitable gloves and eye/face protection.	
measures		
Eye / face protection	Approved safety goggles.	
Skin protection -	Nitrile rubber gloves.	
Handprotection		
Respiratory protection	Wear:. Suitable respiratory equipment.	

### SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State	Powder
Colour	Various
Odour	Odourless
pH	> 12
Melting point	Not applicable.
Freezing Point	Not applicable.
Boiling point	Not applicable.
Evaporation rate	Not applicable.
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	Not applicable.
Fat Solubility	Not applicable.
Partition coefficient	Not applicable.
Viscosity	Not applicable.
Solubility	Slightly soluble in water

#### 9.2. Other information

Conductivity	Not applicable.
Surface tension	Not applicable.
Gas group	Not applicable.
Benzene Content	Not applicable.
Lead content	Not applicable.
VOC (Volatile organic	Not applicable.
compounds)	

SECTION 10: Stability and reactivity

10.1. Reactivity		
	No hazardous reactions if stored and handled as indicated.	
10.2. Chemical stability		
	Stable under normal conditions.	
10.3. Possibility of hazardous reactions		
	No Significant Hazard.	
10.4. Conditions to avoid		
	Avoid formation of dust.	
10.5. Incompatible materials		
	Will not decompose if stored and used as recommended.	
10.6. Hazardous decomposition products		
	No Significant Hazard.	
SECTION 11: Toxicological information	SECTION 11: Toxicological information	
11.1. Information on toxicological effects		

0

# ARC POT-CEM SAND & CEMENT

Revision

Revision date 2015-01-22

11.1. Information on toxicological effects		
Acute toxicity	May cause irritation to respiratory system.	
Skin corrosion/irritation	Irritating to eyes and skin.	
Respiratory or skin	Irritant, moderate respiratory.	
sensitisation		
Reproductive toxicity	No data is available on this product.	
SECTION 12: Ecological information		
12.1. Toxicity		
	No data available	
12.2. Persistence and degradability		
	No data is available on this product.	
12.3. Bioaccumulative potential		
	No data is available on this product.	
12.4. Mobility in soil		
	No data is available on this product.	
12.5. Results of PBT and vPvB assessmer		
12.6. Other adverse effects	No data is available on this product.	
	No data is available on this product.	
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
	Dispose of in compliance with all local and national regulations. Dispose of waste and residues in	
	accordance with local authority requirements.	
General information		
-	Dispose of in compliance with all local and national regulations.	
Disposal methods		
	Dispose of waste and residues in accordance with local authority requirements. Dispose of this	
	material and its container to hazardous or special waste collection point.	
Disposal of packaging		
-	Dispose of waste and residues in accordance with local authority requirements.	
SECTION 14: Transport information		
Further information		
*	The product is not classified as dangerous for carriage.	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental reg	ulations/legislation specific for the substance or mixture	
Regulations	The data should be considered when making any assessment under the Control of Substances	
	Hazardous to Health Regulations (COSHH), and related guidance, for example, "COSHH	
	Essentials" (United Kingdom). This product is classified under the Chemicals (Hazard Information and Packaging) Regulations, (CHIP) (United Kingdom). COMMISSION REGULATION (EU) No	
	453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament	
	and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals	
	(REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and	
	repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as	
	well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC,	
	93/105/EC and 2000/21/EC. REGULATION (EC) No 1907/2006 OF THE EUROPEAN	
	PARLIMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European	
	Eventuation, Autorisation and Resilication of One-filleals (REAOT), establishing a European	

0

# **ARC POT-CEM SAND & CEMENT**

Revision	

Revision date 2015-01-22

15.1. Safety, health and environmental	regulations/legislation specific for the substance or mixture
	Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No
	793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and
	Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
15.2. Chemical safety assessment	
	A chemical safety assesment according to (EC) regulation 1907/2006 (REACH) has not been
	carried out for this product.
SECTION 16: Other information	
Other information	
Text of risk phrases in Section	R37/38 - Irritating to respiratory system and skin.
3	R41 - Risk of serious damage to eyes.
	R43 - May cause sensitisation by skin contact.
Text of Hazard Statements in	Skin Irrit, 2: H315 - Causes skin irritation.
Section 3	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Eye Dam. 1: H318 - Causes serious eye damage.
	STOT SE 3: H335 - May cause respiratory irritation.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,
	storage and handling of the product. This information is correct to the best of our knowledge and
	belief at the date of publication however no guarantee is made to its accuracy. This information
	relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.